

AMENDED  
PRIMARY

ASSIGNED

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

NOV 16 2007

Date of filing in State Engineer's Office..... ~~JUN 04 1990~~ NEW PRIORITY DATE: ~~JUN 30 2000~~  
Returned to applicant for correction..... JUL 20 1990  
Corrected application filed..... AUG 01 1990  
Map filed..... AUG 01 1990

The applicant Linda Terry, Richard E. Hoy, David R. Hoy  
400 Canyon Way, of Sparks,  
Street and No. or P.O. Box No. City or Town  
Nevada 89434, hereby make<sup>S</sup> application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a  
copartnership or association, give names of members.) A Partnership known as Rainbow Bend  
Partnership.

1. The source of the proposed appropriation is treated effluent - Rainbow Bend Project  
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 5.0 cfs second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet 750 acre feet (annual plant capacity)
3. The water to be used for to be determined by secondary applications  
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:  
(a) Irrigation, state number of acres to be irrigated.....  
(b) Stockwater, state number and kinds of animals to be watered.....  
(c) Other use (describe fully under "No. 12. Remarks").....  
(d) Power:  
(1) Horsepower developed.....  
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point NW 1/4 SE 1/4 Section 16, T.19N., R.21E.,  
Describe as being within a 40-acre subdivision of public  
M.D.M. or at a point from which the S 1/4 corner of said Section 16 bears S. 13°  
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.  
48' 24" W., a distance of 1430.5 feet
6. Place of use To be determined by secondary applications - the plant is located  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
in the NW 1/4 SE 1/4 Section 16, T.19N., R.21E., M.D.B.&M.
7. Use will begin about January 1st and end about December 31st, of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) discharge from DAVCO Treatment Plant -  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
infiltration system - recapture thru infiltration wells  
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$1,000,000.00

10. Estimated time required to construct works..... 3 years  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5-10 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant proposes to recapture infiltrated treated effluent for proposed recreational (golf course) and other beneficial uses under secondary applications.

By s/Richard E. Hoy  
Richard E. Hoy  
400 Canyon Way  
Sparks, Nevada 89434

Compared..... bc/ap ..... am/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued for storage purposes only (secondary applications to be filed for use of stored waters) and is subject to any prior rights on the source. By filing of Proof of Completion of Work, as required under conditions of the permit, secondary applications will be in order for approval so that applications of water to a beneficial use may be made.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This primary permit is issued under the authority of NRS 533.440 (Secondary Applications are required for the use of the appropriated effluent) and is only a temporary allowance and the quantity granted may exceed the effluent discharged. The final water right obtained will be dependent upon the amount of effluent actually placed to beneficial use under the secondary permits. A totalizing meter must be installed at the discharge near the point of diversion and accurate measurements must be kept of effluent discharged. Granting of this permit is not intended in any way to waive or affect authority or requirements of appropriate water quality control agencies or regulations. This permit is further issued subject to the provisions of NRS 533.395 and the State retains the right to regulate the use of water herein granted at any and all times. The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to

exceed..... 5.0 .....cubic feet per second , but not to exceed 750 acre-  
feet storage per annum.

Work must be prosecuted with reasonable diligence and be completed on or before..... January 18, 1994

Proof of completion of work shall be filed on or before..... February 18, 1994

Application of water to beneficial use shall be made on or before..... N/A

Proof of the application of water to beneficial use shall be filed on or before..... N/A

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 18th day of January

Cultural map filed..... A.D. 19 91

Certificate No. .... Issued.....

CANCELLED MAY 19 2000 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
Michael Turnipseed P.E. STATE ENGINEER  
can rescinded 9-7-00

*Richard E. Hoy* P.E. State Engineer  
CANCELLED NOV 2 2007 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
J. T. T. P.E. STATE ENGINEER  
can. Rescinded 4-18-2008